

ASSIGNED TO:  
Lower Snake Aquifer Recharge District  
1301 Vista Ave.  
Boise, ID 83705  
S. W. Jones, Jr.

## STATE OF IDAHO

## DEPARTMENT OF WATER RESOURCES

## APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

&amp; John W. Jones, Jr.

1. Name of applicant Earl Hardy, Thorleif Rangen & John LeMoyne Phone 342-0090Post office address 1301 Vista Ave.; Boise, ID 837052. Source of water supply Snake River which is a tributary of \_\_\_\_\_3. Location of point of diversion is SW 1/4 of 1/4 % of Section 28 Township 10SRange 21E B.M. Jerome County, additional points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

Amount 1200 for G.W. Recharge purposes from Jan. 1 to Dec. 31 (both dates inclusive)  
(cfs or acre-feet per annum)Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1200 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Contract use of Milner Gooding Canal system, and Richfield Canal System.

b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_

Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.

c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: \_\_\_\_\_ % of \_\_\_\_\_ % of Section \_\_\_\_\_ Township \_\_\_\_\_

Range \_\_\_\_\_ B.M. \_\_\_\_\_

(2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.

(3) List number of each kind of livestock to be watered \_\_\_\_\_

(4) List number of each kind of crop to be watered \_\_\_\_\_ or number of families to be \_\_\_\_\_

(5) List number of acres to be watered \_\_\_\_\_

(6) List number of acres to be watered for other purposes describe \_\_\_\_\_ Groundwater recharge subject to the

requirements of the Title 42, Chapter 42 Idaho Code

[illegible]

c. Describe any other water rights used for the same purposes as described above. None

- Applicant's filing is being held in trust for a recharge district being formed under 42-4202 Idaho Code. Applicant agrees to assign application to the recharge district upon reimbursement of costs.

Proposed by 6/30/1980

Received by xy

Date

7-2-80

Time

11:30 am

2:15

Preliminary check by xy

Fee S

\$1565.00

Received by xy

Date

6/30/80

11:30 am

Publication prepared by xy

Date

7-2-80

Published in North side news

Publication dates 7-21 & 7-27/80

Publication approved

Date

Protests filed by: xy

Copies of protests forwarded by

Hearing held by

Date

Recommended for approval, denial

by xy

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 01-7054, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.

Use of water under this permit is subject to control by the watermaster of State Water District No. 01, Snake River.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Permit shall be secondary to all prior water rights including rights held by any privately owned electrical generating company to appropriate waters in the reaches of the Snake River downstream from the Milner diversion for purposes of hydroelectric power generation.

The Director may regulate or reduce the rate of diversion under this permit pursuant to requirements of Section 42-4201, Idaho Code.

The permit shall not be assigned or sold without first securing the written approval of the Department of Water Resources.

Water may not be diverted under this permit until the Board of Directors of the District establish and implement a procedure acceptable to the Director for assuring that the water quality of the Lower Snake Aquifer will not be impaired.

Plans for recharge facilities and any conveyance works needed shall be submitted to the Department for approval prior to construction.

Witness my hand this 2nd day of June, 1982.

A. Glen Eayton  
Chief, Operations Bureau